





MARK®



MP 215 COAX

User Manual / Instrucciones de Usuario


PASSIVE SERIES MP 215 COAX



Model		MP 215 COAX
Woofer	Type	2-Way passive loudspeaker
	Diameter	2X15"
	Impedance	8 Ω
	Coil Diameter	3"
	Magnet	60 oz
Tweeter	Diameter	1.75"
	Impedance	8 Ω
	Magnet	23 oz
	Power Output (RMS)	700W
	Power Output (Peak)	1400W
	Frequency Response	55 Hz - 20 kHz
	Sensitivity	98 dB
	Max. SPL	128 dB
	Impedance	4 Ω
	Connectors	2x XLN 4
	Material	MDF
	Dimensions (mm)	525x540x970
	Weight (kg)	37

SERIE PASIVA

MP 215 COAX



	Modelo	MP 215 COAX
Woofer	Tipo	Caja acústica pasiva de 2 vías
	Diámetro	2X15"
	Impedancia	8 Ω
	Diámetro de la bobina	3"
	Imán	60 oz
Tweeter	Tipo	1.75"
	Impedancia	8 Ω
	Imán	23 oz
	Potencia de salida (RMS)	700W
	Potencia de salida (AES)	1400W
	Respuesta en frecuencia	55 Hz - 20 kHz
	Sensibilidad	98 dB
	Max. SPL	128 dB
	Impedancia	4 Ω
	Conectores	2x XLN 4
	Material	MDF
	Dimensiones (mm)	525x540x970
	Peso (kg)	37

EQUIPSON, S.A.

Avda. El Saler, 14 - Pol. Ind. L'Alteró
46460 - Silla (Valencia) Spain
Tel. +34 96 121 63 01 Fax + 34 96 120 02 42
www.markpro.es / equipson@equipson.es