

Product Information

AL 1003 F OUTDOOR LOUDSPEAKER W/LED

Key Features

- Uniform dispersion loudspeaker for outdoor purpose.
- 2,5" woofer (full range).
- 10W @ 8 Ohm / 10W @ 70/100V Line.
- LED type: White warm LEDs (3000K).
- LED power: 12V DC / 6W. *
- IP 65 rating.
- Grass field accessory available (TEE 1003).**
- * External power supply not included.
- ** TEE 1003 sold separately.

AL 1003 F is an acoustic enclosure with built-in LED light, ideal for ground installation in gardens and with an IP65 degree of protection. It has a 2.5" woofer. It can work both in low impedance installations with a power of 10W @ 80hm and in 70/100 volt line installations also offering 10W.

It incorporates 6W LED lighting with a colour temperature of 3000K powered by 12v DC (power supply not included). It is manufactured in aluminium and designed to offer omnidirectional coverage. Grass field accessory for installation available.

Applications




















Technical Specifications







AL 1003 F DATASHEET



AL 1003 F OUTDOOR LOUDSPEAKER W/LED

Rear View





Use the color code and template to connect the device according to the installation requirements.

Related Products

#49TEE003 TEE 1003

TEE 1003

Made of aluminum alloy, this accessory allows to fix firmely. AL 1003 F to a soil or grass for installations in gardens.

Its fixation holes and base diameter are the same as AL 1003 F for ease of assembly.


Dimensions: Base: Ø 150mm x 3 mm / Height: 270 mm





Technical Drawings

Dimensions in mm.



Shipping & Ordering

Packaging	Cardboard box (Unit)		
Dimensions	Weight	Size (H x W x D)	Volume
	3.2kg	205 x 205 x 740mm	0.031 CBM

Reference

#50LUZ003 AL 1003 F

AL 1003 F DATASHEET



AL 1003 F OUTDOOR LOUDSPEAKER W/LED

Architectural & Engineering Specifications

Aulum series includes a range of elements that combine audio and light to create a relaxed environtments in outdoor applications.

AL 1003 F consists in a 2.5" full range woofer with omnidirectional coverage and warm white LED device for indirect light.

Both elements are integrated in a product that can operate in outdoor installation as gardens, house entrances or terraces, taking advantage of its high IP rate, creating a background sound and iluminating paths or specifics zones.

Made of aluminum alloy and painted in black color, AL 1003 F has a base with holes for screws to facilitate the fixation to the ground in surface like pavement or even wood. If you need to place it in gardens on surface like soil or grass, you can use xxxxxxx as accessory.

Support & Technical Request

All products features are subject to variations due to production tolerances.

We reserve the right to change specifications or improvements in the design or manufacturing that may affect these product specifications without notice, as a part of our policy to continually improve our products. For technical gueries, please contact with your supplier, reseller, distributor or visit our website www.workpro.es

WORK
PRO
A company of EQUIPSON

Copyright

Technical specifications and availability subject to change without notice.

WORKPRO® reserve all rights in this document and in the subject thereof. By acceptance of the document the recipient acknowledges these rights and undertakes not to publish the document nor the subject thereof in full or in part, nor to make them available to any third party without our prior express written authorization, nor to use it for any purpose other than for which it was delivered to him.

Version 1.0

EQUIPSON S.A. Av. del Saler, 14. Pol. Ind. L'Alteró, Silla 46460 Valencia - Spain. Tel: +34 961216301 equipson@equipson.es

AL 1003 F DATASHEET