

## Product Information

### Key Features

- Uniform dispersion loudspeaker for outdoor purpose.
- 2,5" woofer (full range).
- 10W @ 8 Ohm / 10W @ 70/100V Line.
- LED type: White warm LEDs (3000K).
- LED power: 12V DC / 6W. \*
- IP 65 rating.
- Wall mount accessory included.

\* External power supply not included.

AL 503 M is an acoustic enclosure with built-in LED light, ideal for wall installation in landscaped areas and with an IP65 protection rating. It has a 2.5" woofer. It can work both in low impedance installations with a power of 10W @ 8Ohm and in 70/100 volt line installations, also offering 10W.

It incorporates 6W LED lighting with a colour temperature of 3000K powered by 12v DC (power supply not included). It is made of aluminium and designed to offer omnidirectional coverage. Wall mounting accessory included.



### Applications



- Restaurants
- Hotels
- Terraces
- Outdoor Venues
- Gardens & Parks
- Sports Venues



### Technical Specifications

<b>Type</b>	Outdoor uniform dispersion loudspeaker with LED		
<b>Woofer</b>	1x 2,5" full range woofer		
<b>Power Handling (8 Ohm)</b>	10W		
<b>Power Handling (L100V) (L70V)</b>	10W		
<b>Frequency response</b>	20 Hz - 20 kHz (± 0.2 dB)		
<b>LED type</b>	Warm White LEDs (3000K)		
<b>LED power consumption</b>	12V DC / 6W		
<b>IP range</b>	IP 65		
<b>Dimensions</b>	<b>(H x Ø base)</b> 320 x 108 mm	<b>(Deep with wall mount )</b> 167 mm	<b>Net Weight</b> 2kg
<b>Enclosure</b>	Aluminum alloy. Black painted		
<b>Connectivity</b>	6mm PVC multicore cable with 7 conductors of 1,5 mm		


Rear View



Use the color code and template to connect the device according to the installation requirements.

Technical Drawings

Dimensions in mm.



Shipping & Ordering

<b>Packaging</b>	Cardboard box (Unit)		
<b>Dimensions</b>	<b>Weight</b> 2.7kg	<b>Size (H x W x D)</b> 375 x 220 x 170mm	<b>Volume</b> 0.014 CBM

Reference

#50LUZ503 AL 503 M

## Architectural & Engineering Specifications

**Aulum** series includes a range of elements that combine audio and light to create a relaxed environments in outdoor applications.

**AL 503 M** consists in a 2.5" full range woofer with omnidirectional coverage and warm white LED device for indirect light.

Both elements are integrated in a product that can operate in outdoor installation as gardens, house entrances or terraces, taking advantage of its high IP rate, creating a background sound and illuminating paths or specific zones.

Made of aluminum alloy and painted in black color, **AL 503 M** has wall-mounting system to facilitate the fixation to walls.

## Support & Technical Request

All products features are subject to variations due to production tolerances.

We reserve the right to change specifications or improvements in the design or manufacturing that may affect these product specifications without notice, as a part of our policy to continually improve our products.

For technical queries, please contact with your supplier, reseller, distributor or visit our website [www.workpro.es](http://www.workpro.es)



### Copyright

Technical specifications and availability subject to change without notice.

**WORKPRO®** reserve all rights in this document and in the subject thereof. By acceptance of the document the recipient acknowledges these rights and undertakes not to publish the document nor the subject thereof in full or in part, nor to make them available to any third party without our prior express written authorization, nor to use it for any purpose other than for which it was delivered to him.

Version 1.0

**EQUIPSON S.A.** Av. del Saler, 14. Pol. Ind. L'Alteró, Silla 46460 Valencia - Spain. Tel: +34 961216301 [equipson@equipson.es](mailto:equipson@equipson.es)