

AMT 5

CEILING SPEAKER



Elements	5" full range Woofer
Rated Power	6W (100V)
Sensitivity (1W/1m)	86 dB
Frequency Response	55 Hz - 20kHz
Dimensions	Ø 184 mm
Hole for mounting	Ø 165 mm
Material	Metal (grille) ABS (enclosure)

Specifications are subjects to be change without notice



AMT 6

CEILING SPEAKER



Elements	6" full range Woofer
Rated Power	8W (100V)
Sensitivity (1W/1m)	86 dB
Frequency Response	55 Hz - 20kHz
Dimensions	Ø 186 mm
Hole for mounting	Ø 175 mm
Material	Metal (grille) ABS (enclosure)

Specifications are subjects to be change without notice

AUDIOMUSIC

Avda. El Saler, 6 - Pol. Ind. L'Alteró, 46460 - Silla (Valencia) Spain

Tel. +34 963 124 088 Fax + 34 963 219 645

www.audiomusic.es audiomusic@audiomusic.es

Rev. 16.02



AMT 5

ALTAVOZ DE TECHO



Elementos	Woofer todo rango 5"
Potencia soportada	6W (100V)
Sensibilidad (1W/1m)	86 dB
Respuesta en frecuencia	55 Hz - 20kHz
Dimensiones	Ø 184 mm
Diámetro de montaje	Ø 165 mm
Material	Metal (rejilla) ABS (recinto)

Especificaciones sujetas a cambios sin previo aviso



AMT 6

ALTAVOZ DE TECHO



Elementos	Woofer todo rango 6"
Potencia soportada	8W (100V)
Sensibilidad (1W/1m)	86 dB
Respuesta en Frecuencia	55 Hz - 20kHz
Dimensiones	Ø 186 mm
Diámetro de montaje	Ø 175 mm
Material	Metal (rejilla) ABS (recinto)

Especificaciones sujetas a cambios sin previo aviso

AUDIOMUSIC

Avda. El Saler, 6 - Pol. Ind. L'Alteró, 46460 - Silla (Valencia) Spain

Tel. +34 963 124 088 Fax + 34 963 219 645

www.audiomusic.es audiomusic@audiomusic.es

Rev. 17.02

