

GOOSNECK MICROPHONE FOR INSTRUMENT

XS 2050 is a gooseneck microphone that can operate with the wireless system **MW 750**. The device includes a clip to fix the device in an instrument.

The small cardioid diaphragm capsule microphone is specially designed for recording and playback, with balanced output, and ensuring excellent response, wide frequency response range, high sensitivity, and accurate sound reproduction.


The entire system is contained in a zippered sleeve




Technical specifications

Polar Pattern	Unidirectional
Cartridge diameter	∅ 9 mm
Sensitivity	18mV/Pa(-32dB±2dB)
Frequency range	50 Hz – 20 kHz
Output impedance	2200Ω
Max. SPL	132 dB
S/N ratio	90 dB

Frequency Response



Polar Pattern



MICRÓFONO DE FLEXO PARA INSTRUMENTO

XS 2050 es un micrófono de flexo que puede funcionar con el sistema inalámbrico **MW 750**. El dispositivo incluye un clip para fijar el dispositivo en un instrumento.

El pequeño micrófono con cápsula de diafragma cardioide, está especialmente diseñado para grabación y reproducción, con una salida equilibrada, y asegurando una excelente respuesta, amplio rango de respuesta de frecuencia, alta sensibilidad y reproducción de sonido precisa.


Todo el sistema viene contenido en una funda con cremallera.



Especificaciones Técnicas

Patrón Polar	Unidireccional
Diámetro de la cápsula	Ø 9 mm
Sensibilidad	18mV/Pa(-32dB±2dB)
Rango de frecuencia	50 Hz – 20 kHz
Impedancia de salida	2200Ω
Max. SPL	132 dB
Relación S/N	90 dB

Respuesta en Frecuencia



Patrón Polar

